



**AUTHOR and
SUBJECT INDEX**

VOL. 11, 1980

INDEX OF AUTHORS

- Ahmed, Iftekhar, 34, 124
Barlogie, B., 22
Berger, B.L., 87
Bixler, E.O., 136
Clay, Susan A., 103
Conrin, James, 180
Corredor, Chris, 140
Corry, P.M., 22
Dahl, David S., 118
del Greco, Francesco, 72
DeMarco, Pasquale, 38, 132, 169
Daneman, E. Adams, 158
Deshmukh, Vinod, 28
Driber, T.J., 28, 173
Feldman, Robert G., 67
Fernandez, Herberto, 48
Foster, F. Gordon, 9
Fullerton, Wayne, 48
Ghantous, Wallid, 72
Gibbs, F.A., 87
Green, Jacob, 28, 173
Green, Patricia, 48
Holmes, Gregory L., 83
Hooshmand, H., 140, 163
Howard, George, 48
Hughes, John R., 72
Huott, Archer D., 127
Ivanovich, Peter, 72
Jabbari, Bahman, 127
Kales, A., 136
Kereshi, Stjepan, 44
Kilgore II, M.W., 28
Kupfer, David J., 9
Maloney, Marilyn, 163
Marra, Thomas R., 118
Merikangas, James R., 9
Merikangas, Kathleen R., 9
Miller, Edward, 28
Miranda, Fernando G., 152
Morganroth, Robert, 140
Nealis, James G.T., 17, 106, 173
Neil, John F., 9
Noran, William, 28
Quintanilla, Antonio, 72
Reilly, E.L., 22, 57
Reins, Margaret, 72
Reite, Martin, 16
Reynolds, Jr., Norman C., 118
Richardson, Kathryn S., 44
Rigor, B., 22
Robertson, Edgar, 67
Roxe, David M., 72
Salkin, Marshall, 72
Scales, David, 173
Schlagenhauff, Reinhold E., 44
Schott, Greg, 173
Schweitzer, P.K., 136
Seward, M.A., 22, 57
Soldatos, C.R., 136
Solomons, Clive, 16
Spiker, Duane G., 9
Spudis, Edward, V., 48
Stone, Neil, 72
Tatum, Toni, 48
Vela-Bueno, A., 136
Weinmann, Robert L., 102
Wood, Rabun, 158
Yip, E., 22

INDEX OF SUBJECTS

Vol. 11, 1980

- Abscess**, and beta activity, 140
Acoustic neuroma, and BAER, 29, 33
Acromegaly, and sleep apnea, 154, 155
Adenotonsillar hypertrophy, and sleep apnea, 154, 155
Age factor and, anorexia nervosa, 11, 15
 —neonatal EEGs, 102
 —osteogenesis imperfecta, 17
 —SER in multiple sclerosis, 50, 54, 55
 —sleep apnea, 154
 —slow, runs of, 91, 92
Aicardi syndrome, and neonatal EEGs, 114, 117
Alcoholism and, anorexia nervosa, 10
 —neonatal seizures, 104
 —withdrawal seizures, 104, 164
Alpha activity and, hyperthermic fever, 23
 —sleepwalking, 137
 —smoking, 181-183, 186
 —uremia, 73-75
Ambulatory EEG, monitoring and clinical utility, 173-179
Amenorrhea, and anorexia nervosa, 15
American Medical EEG Association and, annual meeting, 8
 —certified allied health personnel, 100-101
 —certified review course, 93, 94
 —clinical EEG technicians and technologists society, 6, 7
Aminoacidurea, and neonatal seizures, 104
Amphetamine, and Tourette syndrome, 118, 121
Amplitude and, VER in uremic patients, 76-82
 —(See also Asymmetry, and Depressed voltage)
Anesthesia, and hyperthermia, 22-26
Aneurysm, and nasopharyngeal EEG, 127-131
Announcements, allied health personnel in EEG, 100-101
 —annual meeting, 8
 —certified review course, 93, 94
 —clinical EEG and technologist society information, 6, 7
 —Southern EEG Society meeting, 43
Anorexia Nervosa, and waking and all-night sleep EEGs, 9-15
Anoxia and, neonatal EEG, 104, 106, 107, 109, 111
Anticonvulsants and, emergency room seizures, 163, 164
 —infarction, 83
 —neonatal seizures, 103, 107
 —sleepwalking, 138
 —Tourette syndrome, 119, 120
Aphasia, and BAER, 34
 —carotid occlusion, 67
Apnea, and sleep, symposium on clinical significance and dangers, 152-157
Antidepressants, and emergency room treatment, 165
Appetite and, anorexia nervosa, 9-15
 —sleep apnea, 152, 155
 —Tourette syndrome, 120, 121
Arousal and, sleepwalking, 136
 —smoking, 180-187
Artifact and, ambulatory EEG, 175
 —aneurysm, pulse, 127, 128
 —beta activity, 140, 142, 143
 —nasopharyngeal lead, 127, 128
 —neonatal EEG, 109, 110, 113
 —occipital reversal of sign, 57-66
Asymmetry and, beta activity, 140
 —neonatal EEG, 117
 —sleepwalking, 137
Atonic seizure, and beta activity, 141, 142
Auditory evoked responses and, clinical practice, 28-33
 —smoking, 183, 184, 186
 —telephonic transmission, 158-162
 —transtentorial herniation, 34-37
Automatic behavior, and sleep apnea, 155
BAER, (See Brain stem auditory evoked responses)
Barbiturates, and emergency room treatment, 164
Benzodiazepines, and emergency room treatment, 165
Beta activity and, emergency room EEG, 165
 —focal and lateralized significance, 140-144
 —Huntington's chorea, 45
 —hyperthermic fever with pentothal, 24
 —neonatal seizures, 107-111
 —osteogenesis imperfecta, 20
 —sleepwalking, 138
 —smoking, 180, 181
 —uremia, 73-75, 80, 81
Beta seizures, and neonatal EEG, 107, 110
Billirubin, and neonatal kernicterus, 105, 106
Bipolar recording, and occipital phase reversal, 57-66
Blackouts, and ambulatory EEG, 173
Brain stem and, auditory evoked response, 28-33, 34-37, 158-162
 —neonatal EEG, 106, 109
 —sleep apnea, 152, 154, 155
 —transtentorial herniation, 34-37
Brain stem auditory evoked responses

- (BAER), and clinical practice, 28-33
 - telephonic transmission, 158-162
 - transtentorial herniation, 34-37
 - (See also Auditory evoked response)
- Brittle bone disease**, and EEG, 16-21
- Brush pattern**, and neonatal EEG, 103, 107
- Bulimia**, and anorexia nervosa, 11, 13, 15
- Burst suppression**, and neonatal EEG, 107, 109, 110, 117
- Caffeine**, and smoking, 183, 184
- Cancer**, metastatic, and hyperthermic fever, 22-27
- Carbamazepine**, and Tourette syndrome, 121
- Carbon monoxide**, and smoking effect on alpha rhythm, 182, 186
- Carotid aneurysm**, and nasopharyngeal EEG, 127-131
- Carotid occlusion**, and pattern shift in visual evoked response, 67-71
- Cataplexy**, and sleep apnea, 155
- Catatonic attacks**, and emergency room treatment, 164
- Caudate nucleus**, and neonatal bleeding, 105
- Central location**, and phase reversal, 59
 - (See also Parietal)
- Cerebral atrophy**, and neonatal EEG, 107
- Cerebral dysgenesis**, and neonatal seizures, 104
- Cerebral palsy**, and Tourette syndrome, 119, 121, 122
- Cerebrovascular disease**, and beta activity, 140-144
 - (See also Vascular)
- Cheyne-Stokes breathing**, and sleep apnea, 152, 153
- Cholesteatoma**, and BAERs, 30
- Cirrhosis**, and delta waves, 62
- Clonazepam** and, emergency room management, overdose, 167
 - petit mal in early infancy, 38
- Collodion**, and neonatal EEG, 106
- Coma** and, BAER, 34, 35
 - hyperthermia, 26
- Computerized tomography** and, anorexia nervosa, 13
 - emergency room treatment, 164, 168
 - Huntington's chorea, 45
 - neonatal EEG, 105-107
- Concussion**, and emergency room EEG, 164
- Control subjects** and, BAERs, 29
 - sleepwalking, 136, 137
 - VER in uremic patients, 76-81
- Contusion**, and emergency room EEG, 164
- Conversion reaction**, and emergency room EEG, 163
- Convulsions**, (see Grand mal, and Seizures)
- Coprolalia**, and Tourette syndrome, 118, 119, 121
- Cor pulmonale**, and sleep apnea, 154, 156
- Corpus callosum**, and neonatal agenesis, 107, 117
- Craniotomy defect**, and beta activity, 140
- Ctenoids**, (See Fourteen and six per second positive spikes)
- Cyanosis**, and sleep apnea, 152
- Deanol**, and Tourette syndrome, 121
- Death**, and BAERs, 28, 34
- Decremental seizures**, and neonatal EEG, 117
- Delta activity** and, anorexia nervosa, 12, 13
 - hyperthermic fever, 23, 24
 - infarction, 84
 - multiple sclerosis, 124
 - neonatal EEG, 107, 109, 111, 112, 117
 - phase reversal, 57-59, 62, 63
 - Tourette syndrome, 120
 - uremic patients, 73-75, 80-82
 - (See also Slow activity)
- Demyelinating disease** and, BAER, 30, 33, 34
 - bilateral epileptiform discharges, 124-126
 - somatosensory central latencies and disc discrimination 48-56
 - VER, 67, 69, 70
- Depressed voltage** and, anoxic encephalopathy, 32
 - beta activity, 140
 - hyperthermia, 26
 - neonatal EEG, 107, 109, 110, 117
 - sleepwalking, 137
- Depression**, and smoking, 149
- Diabetes** and, BAER, 35
 - neonatal seizures, 104
 - uremic patients, 72
- Dialysis**, and electrophysiological studies of uremic patients, 72-82
- Diazepam**, and overdose, emergency room treatment, 167
- Dilantin** and, emergency room seizures, 164
 - neonatal seizures, 107
 - Tourette syndrome, 119, 120
- Diving reflex**, and reflex apnea, 107
- Dizziness** and, ambulatory EEG, 178
 - BAER, 33
 - runs of slow activity, 87
- Dopamine**, and Tourette syndrome, 118, 121, 122
- Drugs** and, ambulatory EEG, 175, 178
 - anorexia nervosa, 11
 - emergency room screening, 164, 165, 167
 - Huntington's chorea, 47
 - hyperthermic fever, 22-26
 - neonatal seizures, 104, 107
 - petit mal seizures, 38
 - sleep apnea, 156
 - smoking, 184, 186
 - Tourettes syndrome, 118-122
- Dwarfism**, and osteogenesis imperfecta, 16, 17
- Eating disorders**, and anorexia nervosa with

- waking and sleep EEGs, 9-15
- Echolalia**, and Tourette syndrome, 118
- EKG** and, ambulatory EEG, 173-178
 - artifact in EEG, 59, 107
 - emergency room treatment, 163
 - neonatal EEG, 107
- Electrical sign**, reversal in the occipital area, physiological or montage artifact, 57-66
- Electrocerebral silence** and, BAER in anoxic encephalopathy, 32
 - hyperthermia, 26
 - neonatal EEG, 107
- Electrodes** and, ambulatory EEG, 173, 178
 - phase reversal, 57-66
- Embolism**, and seizures, 84, 85
- Emergency room**, role of EEG, 163-168
- Encephalitis** and, neonatal seizures, 103
 - runs of slow activity, 89
 - sleep apnea, 154, 155
- Encrochee frontale**, and neonatal EEG, 103
- Epilepsy** and, ambulatory EEG, 173, 175, 177, 178
 - petit mal in early infancy, 38-40
 - runs of slow activity, 87, 88, 92
 - somato-sensory evoked spikes, 132-135, 169-172
 - somnambulism, 136
 - (See also Seizures)
- Epileptiform dysrhythmia** and, anorexia nervosa, 9, 11, 13
 - multiple sclerosis, 124-126
 - sleepwalking, 137
 - Tourette syndrome, 118-123
 - (See also Spikes)
- Evoked potentials** and, carotid occlusion, 67-71
 - clinical practice, 28-33
 - epileptic manifestations, 132-135
 - multiple sclerosis, 48-56
 - smoking, 182-186
 - somatosensory epilepsy, 169-172
 - telephonic transmission, 158-162
 - transtentorial herniation, 34-37
 - uremic patients, 72-82
- Extreme spindles**, and anorexia nervosa, 10, 11
- Extroverts**, and smoking, 180, 181, 184, 186
- Eye blinking**, and Tourette syndrome, 118-121
- Fast activity**, (See Beta activity)
- Flattening**, and neonatal EEG, 107, 110
 - (See also Depressed voltage)
- Focal seizures**, and infarction, 84
- Fourteen and six per second positive spikes** and, anorexia, 13
 - recording montage, 62, 64, 65
 - Tourette syndrome, 121
- Frontal location** and, beta medication effect, 140
 - neonatal sharp waves and spikes, 103, 107
 - phase reversal delta, 57-59
 - runs of slow activity with parietal, 87-92
- Germinal matrix**, and neonatal bleeding, 105
- Gilles de la Tourette syndrome**, with epileptiform dysrhythmia, 118-123
- Grand mal seizures** and, beta activity, 140
 - Huntington's chorea, 44-47
 - infarction, 84
 - neonatal EEG, 106
 - smoking, 184, 185
 - Tourette syndrome, 118, 119, 121
 - (See also Seizures)
- Hallucinations** and, aneurysm with carotid pulse artifact, 131
 - sleep apnea, 155
- Haloperidol** and, Huntington's chorea, 46, 47
 - Tourette syndrome, 119-121
- Headache** and, runs of slow activity, 88, 92
 - sleep apnea, 154
 - sleepwalking, 137
- Head injury**, and emergency room management, 163, 164, 167
 - (See also Trauma)
- Hearing**, and BAER, 34
- Hemiparesis** and BAER, 34, 35
 - Tourette syndrome with epileptiform dysrhythmia, 118
- Hemorrhage** and, beta activity, 141
 - neonatal seizures, 104, 105
- Heredity** and, EEG in osteogenesis imperfecta, 16-21
- Heroin**, and neonatal seizures, 104
- Hippocampus**, and arousal with smoking, 180, 181, 185, 186
- Holoprosencephaly**, and neonatal EEG, 109, 111
- Huntington's chorea**, and myoclonic and major seizures in early adult case, 44-47
- Hydrocephalus**, and neonatal hemorrhage, 105
- Hypercapnia**, and sleep apnea, 153
- Hypernatremia**, and neonatal seizures, 104
- Hypersomnia**, and sleep apnea, 152, 155, 156
- Hypertension** and, BAER, 34
 - neonatal seizures, 105
 - renal disease, 72
 - sleep apnea, 154, 156
- Hyperthermic fever**, and persistence of EEG activity, 22-27
- Hyperventilation** and, anorexia nervosa, 9, 11, 13
 - sleepwalking, 137
 - Tourette syndrome, 121
- Hypocalcemia**, and neonatal seizures, 103-106
- Hypoglycemia** and, neonatal seizures, 104-106
- Hypothermia**, and anorexia, 15

- Hypoventilation**, and sleep apnea, 152, 155, 156
- Hypoxia** and, neonatal seizures, 103-106
—sleep apnea, 153, 156
- Hypsarhythmia**, and neonatal seizures, 114, 117
- Hysterical seizures**, and emergency room management, 163, 164
- Infantile spasms**, and beta activity, 140-144
- Infants**, symposium on neonatal EEG, 102-117
- Infarction**, and beta activity, 140, 141
—carotid occlusion, 69
—EEG as predictor of seizures, 83-86
—sleep apnea, 154
- Infection**, and neonatal seizures, 103
—(See also Encephalitis, and Meningitis)
- Inferior colliculus**, and neonatal seizures, 106
- Insomnia**, and sleep apnea, 154
- Introversion**, and smoking, 180, 181, 184, 186
- Ischemia**, and neonatal seizures, 106
- Isoelectric recording**, and hyperthermia, 26
—(See also Electroencephalographic silence)
- Jacksonian seizures**, and neonatal EEG, 106, 107, 109
- Jittery baby**, and neonatal EEG, 103
- K-complex**, and evoked potentials, 158
- Kernicterus**, and premature infants, 104-106
- Kidney disease**, (See Uremia)
- Lambda waves**, and evoked potentials, 158
- Lennox-Gastaut syndrome**, and beta activity, 140-144
- Limbic midbrain system**, and arousal with smoking, 180, 181, 184, 186
- Limbic seizures**, and emergency room treatment, 164, 166
- Magnesium deficiency**, and neonatal seizures, 104
- Magnesium oxide**, and osteogenesis imperfecta, 20, 21
- Major seizures**, and myoclonic seizures in early adult Huntington's chorea, case report and electro-clinical findings, 44-47
—(See also Grand mal)
- Mecamylamine**, and smoking, 186
- Medical legal aspects**, and emergency room management, 164
- Meningitis**, and neonatal seizures, 103, 104, 106
- Mental changes** and, Huntington's chorea, 46
—uremic patients, 80
- Metabolic disturbance** and, anorexia nervosa, 13
—BAER, 34
—emergency room EEG, 163, 164, 165
—hyperthermia, 26
—neonatal EEG, 103-105
—osteogenesis imperfecta, 16-21
- Methylphenidate**, and Tourette syndrome, 119
- Micrognathia**, and sleep apnea, 154, 155
- Midbrain system**, and arousal in smoking, 180
- Mitten pattern**, and anorexia nervosa, 10, 11
- Monopolar recording**, and occipital phase reversal, 57-66
- Montage**, and reversal of electrical sign in the occipital area, 57-66
- Multiple sclerosis** and, BAERs, 30, 33
—bilateral epileptiform discharges, 124-126
—somatosensory central latencies and discrimination, 48-56
—VER, 67, 69
- Myoclonic seizures** and, beta activity, 142
—Huntington's chorea, early adult, 44-47
—neonatal EEG, 106, 117
—Tourette syndrome, 120, 121
- Myotonic dystrophy**, and sleep apnea, 154, 155
- Myxedema**, and sleep apnea, 154, 155
- Narcolepsy**, and sleep apnea, 153, 155
- Nasal thermister**, and neonatal respiration, 109, 110
- Nasopharyngeal leads** and, carotid aneurysm, 127-131
—neonatal EEG, 117
—Tourette syndrome, 120-122
- Nausea and vomiting**, and runs of slow activity, 87
- Neonatal EEG**, symposium, 102-117
- Neoplasm** and, BAER, 29-33
—beta activity, 141, 144
—hyperthermic fever, 22-27
—neonatal EEG, 107, 109
—sleep apnea, 154
- Night terrors**, and sleepwalking in adults, 136-139
- Nitrazepam**, and smoking, 184
- Normal EEG** and, ambulatory recording, 177, 178
—anorexia nervosa, 11, 13, 14
—emergency room treatment, 164, 165, 168
—infants, 102, 103, 107, 108
—infarction, 83-86
—montage, 62
—osteogenesis imperfecta, 17
—sleepwalking, 137
- Numbness**, and runs of slow activity, 87
- Nystagmus**, and neonatal seizures, 106
- Obesity** and, sleep apnea, 152, 155
—Tourette syndrome, 120, 121
- Occipital location** and, neonatal EEG, delta brushes, 109
—reversal of electrical sign, 57-66
—runs of slow activity, 87-92
—visual cortex in smoking, 183
- Online's curse**, and sleep apnea, 152-154
- Optic neuropathy**, and VER, 67, 69, 71
- Osteogenesis imperfecta**, and EEG, 16-21
- Parietal location** and, runs of slow activity, 87-

- 92
 —SER in multiple sclerosis, 49, 52-55
 —somatosensory evoked spikes in epilepsy, 132-135, 169, 171
Parkinson's disease, and seizure control, 122
Paroxysmal epileptiform dysrhythmias and, anorexia nervosa, 9, 11, 13
 —(See also Epileptiform dysrhythmia)
Pentothal, and hyperthermic fever with EEG, 22, 24
Petit mal epilepsy, during early infancy, 38-40
Phase reversal, and occipital area, physiological, or montage artifact, 57-66
Phenobarbital and, neonatal seizures, 107
 —smoking, 186
Phenytoin and, emergency room seizures, 164
 —neonatal seizures, 107
 —Tourette syndrome with epileptiform dysrhythmia, 119, 120
Photic stimulation and, Huntington's chorea, 45
 —osteogenesis, 18, 20, 21
 —uremic patients, 72, 73, 77-82
Physostigmine, and emergency room treatment, 165, 167
Pickwickian syndrome, and sleep apnea, 152, 156
PLEDs, and cerebral infarction, 83-85
Pollomyelitis, and sleep apnea, 154, 155
Polycythemia, and sleep apnea, 152, 154, 156
Polysomnography and, anorexia, 14
 —sleep apnea, 155
Polyspike and wave and, Huntington's chorea, 45
 —Tourette syndrome, 120, 121
Porencephalic cyst and, beta activity, 141, 144
 —neonatal EEG, 115, 117
Premature birth, and neonatal seizures, 103-107
Psychiatric syndromes and, eating disorders, 9-15
 —emergency room treatment, 163, 166, 168
 —Huntington's chorea, 44
Psychomotor status, and emergency room EEG, 166
Pyridoxine deficiency, and neonatal seizures, 107
Reference recording, and occipital phase reversal, 57-66
REM sleep and, anorexia nervosa, 9-13
 —neonatal EEG, 102, 109, 110
 —sleep apnea, 153, 154
Renal disease, (See Uremia)
Reticular formation and, smoking arousal effect, 180, 181, 184, 185
 —VER in uremic patients, 81
Retinitis pigmentosa, and Aicardi syndrome, 117
Ripple patterns, and neonatal EEG, 107
Rolandic location, and neonatal spikes, 107
Runs of slow activity, fronto-parietal and occipital, 87-92
Schizencephaly, and neonatal EEG, 116, 117
Schools, for EEG training, 6
Seizures and, ambulatory recording, 173, 175, 177, 178
 —beta activity, 107-111, 140-144
 —cerebral infarction, 83-86
 —emergency room EEG, 163, 164, 166, 168
 —Huntington's chorea, 44-47
 —hyperthermic fever, 25
 —multiple sclerosis, 124
 —neonatal EEG, 103-111, 117
 —osteogenesis imperfecta, 17, 21
 —petit mal in early infancy, 38-40
 —runs of slow activity, 87, 88, 92
 —smoking, 184, 185
 —somatosensory evoked spikes, 132-135, 169-172
 —somnambulism, 136
 —(See also Atonic, Beta, Decremental, Focal, Grand mal, Hysterical, Infantile spasms, Jacksonian, Lennox-Gastaut, Limbic, Myoclonic, Petit mal, Psychomotor, and Tonic axial seizures)
Sexual disorder and, sleep apnea, 154, 156
 —Tourette syndrome, 118
Sharp waves and, anorexia nervosa, 11
 —hyperthermic fever, 23, 25
 —infarction, 83-86
 —multiple sclerosis, 124, 125
 —neonatal EEG, 103, 107, 117
 —sleepwalking, 137
 —Tourette syndrome, 118, 120, 121
 —vertex, 59, 61, 63
 —(See also Spikes)
Shy-Drager syndrome, and sleep apnea, 154, 155
Sleep activity and, ambulatory EEG, 173, 178
 —anorexia nervosa, 9-15
 —neonatal EEG, 102, 106, 109, 110, 117
 —REM, 9-13, 102, 109, 110, 153, 154
 —sleep apnea, 153, 154
 —somatosensory potentials, 132
 —Tourette syndrome, 120, 121
 —vertex reference, 59, 62
Sleep apnea, symposium, 152-157
Sleepwalking, and night terrors in adults, 136-139
 —sleep apnea, 156
Slow activity and, anorexia nervosa, 10-13
 —BAER, 35
 —emergency room EEG, 164
 —hyperthermic fever, 23, 24
 —infarction, 35, 83-86
 —multiple sclerosis, 124, 125
 —neonatal EEG, 102, 103, 107, 109, 111, 112, 117

- osteogenesis imperfecta, 18, 20
- phase reversal, 57-59, 62, 63
- sleepwalking, 137
- smoking arousal, 180, 181
- Tourette syndrome, 118, 120, 121
- uremia, 73-75, 80-82
- Smoking tobacco**, and EEG 149, 180-187
- Snoring**, and sleep apnea, 154, 156
- Somatosensory epilepsy**, an unusual case, 169-172
- Somatosensory evoked response** and, multiple sclerosis, 48-56
 - spikes with epileptic manifestations, 132-135, 169-172
 - (See also Evoked potentials)
- Somnambulism** and, night terrors in adults, 136-139
 - sleep apnea, 156
- Speech disorder** and, BAER, 34
 - carotid occlusion, 67
 - Tourette syndrome, 118, 119, 121
- Spike and wave discharges** and, ambulatory EEG, 175, 177
 - anorexia nervosa, 11
 - cerebral occlusion, 86
 - Huntington's chorea, 45
 - hyperthermic fever, 25
 - petit mal early infancy, 38-39
 - somatosensory potentials, 132, 135
 - Tourette syndrome, 120, 121
- Spikes** and, ambulatory EEG, 175, 177
 - anorexia nervosa, 11, 13
 - beta activity, 140, 144
 - cerebral occlusion, 86
 - emergency room EEG, 164
 - Huntington's chorea, 45
 - hyperthermic fever, 23, 25
 - infarction, 83-86
 - montage, 62, 64, 65
 - multiple sclerosis, 124
 - neonatal EEG, 103, 107, 109, 114, 117
 - osteogenesis imperfecta, 17
 - somatosensory evoked, epilepsy, 132-135, 169-171
 - Tourette syndrome, 120, 121
 - (See also Fourteen and six, Hypsarhythmia, PLEDs, and Spike and wave, as well as Frontal, Parietal, Rolandic, and Temporal locations)
- Spindles**, and vertex reference, 59
- Stereognosis**, and multiple sclerosis, 48-56
- Steroids**, and BAER, 34, 37
- Stroke**, and beta activity, 140
 - (See also Infarction, and Vascular)
- Stupor**, and multiple sclerosis, 124
 - (See also Coma)
- Sturge Weber**, and neonatal EEG, 115-117
- Subarachnoid hemorrhage**, and neonatal seizures, 103, 104, 106-108
- Subdural hematoma** and, BAER, 35
 - neonatal seizures, 104
- Syncope** and, ambulatory EEG, 173
 - runs of slow activity, 87
- Tachycardia**, and sleep apnea, 156
- Tantrums**, and Tourette syndrome, 120
- Tardive dyskinesia**, and Tourette syndrome, 121
- Telephonic transmission**, and brain stem evoked potentials, 158-162
- Temperature**, and EEG activity with hyperthermic fever, 22-27
- Temporal location** and, aneurysm artifact, 127
 - neonatal EEG, 109, 117
 - osteogenesis, theta and sharp waves, 18, 20
 - phase reversal, 59
 - sleepwalking theta, 137
 - somatosensory epilepsy evoked spikes, 169, 170, 171
 - Tourette syndrome sharp waves, 118, 119, 120
- Thalamus** and, neonatal seizures, 106
 - somatosensory evoked spikes, 135
- Theta activity** and, anorexia nervosa, 13
 - hyperthermic fever, 23, 24
 - infarction, 84
 - neonatal EEG, 107, 109, 112, 117
 - osteogenesis imperfecta, 18, 20
 - sleepwalking, 137
 - smoking arousal, 180, 181
 - Tourette syndrome, 118, 131
 - uremic patients, 73-75, 80
 - (See also Slow activity)
- Thioridazine**, and Tourette syndrome, 119
- Three per second spike and wave discharge**, and ambulatory EEG, 177
 - petit mal in early infancy, 38-39
- Thrombosis**, and seizures, 84, 85, 104
- Tics**, and Tourette syndrome with epileptiform dysrhythmia, 118-123
- Tobacco smoking**, EEG effects, 149, 180-187
- Tonic axial seizures**, and petit mal in early infancy, 38-40
- Tourette syndrome**, and epileptiform dysrhythmia, 118-123
- Toxic-metabolic encephalopathies**, and emergency room management, 163, 164, 165
 - (See also Metabolic)
- Trace alternant**, and neonatal EEG, 102, 110
- Tracheostomy**, and sleep apnea, 156
- Transtentorial herniation**, and brain stem auditory evoked potentials, 34-37
- Trauma** and, beta activity, 141
 - emergency room EEG, 163, 164, 167
 - neonatal seizures, 103, 104
 - runs of slow activity, 87, 89
- Tremor** and, Huntington's chorea, 46
 - neonatal EEG, 103

—sleep apnea, 156

Triphasic waves, and reference electrode, 60, 61

Tumor and, BAER, 29-33

—beta activity, 141, 144

—hyperthermic fever, 22-27

—neonatal EEG, 104, 107, 109

—sleep apnea, 154

Uremia and, comparison of peritoneal dialysis and hemodialysis, electrophysiological studies, 72-82

Valproic acid and, Huntington's chorea, 47

Vascular disorder and, BAER, 35

—beta activity, 140-144

—carotid occlusion, 69

—EEG as predictor of seizures, 83-86

—emergency room EEG, 165

—nasopharyngeal recording, 127-131

—neonatal seizures, 103-108

—runs of slow activity, 87, 89

—sleep apnea, 154

VER, (See Visual evoked response)

Vertex reference, and phase reversal, 59, 61, 63

Vertigo, and BAER, 33

Visual disturbance and, Aicardi syndrome, 117

—carotid aneurysm, 127, 130, 131

—neonatal seizures, 106

—runs of slow activity, 89

—VER, 67, 69, 71

Visual evoked response (VER) and, pattern shift in carotid occlusion, 67-71

—smoking, 182-184

—uremic patients, 72-82

Voltage, (See Amplitude, and Depressed voltage)



C 30

0	3	2	E	■
1	2	5	3	
2	2	3	6	
3	3	6	6	
4	6	6	5	
5	5	5	3	
6	2	6	5	

0	3	2	E	■
1	2	5	3	
2	2	3	6	
3	3	6	6	
4	6	6	5	
5	5	5	3	
6	2	6	5	